

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,854,881 B2
DATED : February 15, 2005
INVENTOR(S) : Mitsuhiro Nada

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page.

Item [57], under the **ABSTRACT** portion, the number of Claims should read:

-- [57] 14 Claims --

Column 18.

Line 58, delete "; " and insert -- : --.

Column 19.

Line 4, delete "1" and insert -- 2 --;

Line 4, delete "second" and insert -- first --;

Line 5, delete "power semiconductor element " and insert -- stator iron core of an electric motor --;

Line 6, delete "first" and insert -- second --;

Lines 6-7, delete "coolant for cooling the power semiconductor element," and insert -- stator coil of the electric motor, and --;

Lines 8-11, delete "wherein the step (c) includes a process of measuring the temperature of the power semiconductor element with a temperature sensor installed on the power semiconductor element, and";

Lines 13-15, delete "of the coolant from the temperature change of the power semiconductor element in a state where the power semiconductor element is not energized" and insert -- increment quantity ΔT in accordance with a specific value substantially indicating the amount of energization of the electric motor from the relation between the predetermined temperature increment quantity ΔT and the specific value substantially indicating the amount of energization of the electric motor --; and Lines 16-41, delete the entire contents of Claim 5 and insert

-- 5. A method according to claim 4, wherein the step (c) includes a process of determining the temperature of the stator iron core on the basis of the temperature of a coolant for cooling the stator of the electric motor and the specific value substantially indicating the amount of energization of the electric motor --.

Column 20.

Lines 1-5, delete the entire contents of the remaining portion of Claim 5;

Lines 6-17, delete the entire contents of Claim 6 and insert -- 6. A method according to claim 1, wherein the second object is a stator iron core of an electric motor, wherein the first object is a coolant for cooling the stator of the electric motor, and wherein the step (d) includes a process of determining the temperature of the stator iron core on the basis of the coolant temperature and a specific value substantially indicating the amount of energization of the electric motor. --;

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,854,881 B2
DATED : February 15, 2005
INVENTOR(S) : Mitsuhiro Nada

Page 2 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 20 (cont'd).

Lines 18-40, delete the entire contents of Claims 7 and 8 and insert -- 7. A method according to claim 1, wherein the second object is a power semiconductor element, wherein the first object is a coolant for cooling the power semiconductor element, wherein the step (c) includes a process of measuring the temperature of the power semiconductor element with a temperature sensor installed on the power semiconductor element, and

wherein the step (d) includes a process of determining the temperature of the coolant from the temperature change of the power semiconductor element in a state where the power semiconductor element is not energized.

8. A temperature estimation device for estimating a temperature of one of the first and second objects from the temperature of the other object, and for detecting an abnormality, comprising:

a temperature measuring portion for measuring the temperature of one of the first and second objects by a temperature detector; and

an estimation portion for estimating the temperature of the other of the first and second objects using a first method in which the temperature of the other of the first and second objects is estimated on the basis of the temperature measured by the temperature determination portion and a specific value substantially indicating the amount of energization of the second object, for estimating the temperature of the other of the first and second objects using a second method which is different from said first method, and for detecting an abnormality of at least one of the detector, a system for the first object and a system for the second object based on the temperature estimated by the first method and the temperature estimated by the second method,

wherein the second object is an energizable object that generates heat upon an energization thereof, wherein said second object exhibits a temperature change in response to heat which is more rapid than a temperature change of the first object in response to heat, and wherein said second object is positioned in the vicinity of the first object for exchanging heat therebetween such that said second object assumes a temperature approximately equal to that of the first object in the absence of heat generation therein.

9. A device according to claim 8, wherein, when the temperature of the first object is assumed as T_1 , the temperature of the second object as T_2 , and a temperature increment quantity of the second object that is related to the specific value substantially indicating the amount of the energization as ΔT , a relation between the temperature increment quantity ΔT and the specific value substantially indicating the amount of the energization is preliminarily set, and the estimation by the estimation portion is executed according to the following equation: $T_2 = T_1 + \Delta T$.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,854,881 B2
DATED : February 15, 2005
INVENTOR(S) : Mitsuhiro Nada

Page 3 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 20 (cont'd).

10. A device according to claim 9, wherein the second object is a power semiconductor, wherein the first object is a coolant for cooling the power semiconductor element, and wherein the estimation portion determines the temperature increment quantity ΔT in accordance with a specific value that substantially indicates the amount of energization of the power semiconductor element from the relation between the predetermined temperature increment quantity ΔT and the specific value substantially indicating the amount of energization of the semiconductor element.

11. A device according to claim 9, wherein the first object is a stator iron core of an electric motor,
wherein the second object is a stator coil of the electric motor, and
wherein the estimation portion determines the temperature increment quantity ΔT in accordance with a specific value substantially indicating the amount of energization of the electric motor from the relation between the predetermined temperature increment quantity ΔT and the specific value substantially indicating the amount of energization of the electric motor.

12. A device according to claim 11, wherein the temperature determination portion determines the temperature of the stator iron core on the basis of the temperature of a coolant for cooling the stator of the electric motor and the specific value substantially indicating the amount of energization of the electric motor.

13. A device according to claim 8, wherein the second object is a stator iron core of an electric motor,
wherein the first object is a coolant for cooling the stator of the electric motor, and
wherein the estimation portion determines the temperature of the stator iron core on the basis of the coolant temperature and a specific value substantially indicating the amount of energization of the electric motor.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,854,881 B2
DATED : February 15, 2005
INVENTOR(S) : Mitsuhiro Nada

Page 4 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 20 (cont'd).


14. A device according to claim 8, wherein the second object is a power semiconductor element,

wherein the first object is a coolant for cooling the power semiconductor element, wherein the temperature determination portion measures the temperature of the power semiconductor element with a temperature sensor installed on the power semiconductor element, and

wherein the estimation portion determines the temperature of the coolant from the temperature change of the power semiconductor element in a state where the power semiconductor element is not energized. --.

Signed and Sealed this

Twenty-third Day of August, 2005

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a distinct "D".

JON W. DUDAS
Director of the United States Patent and Trademark Office